


CHAINMAIL



IN THIS SECTION YOU CAN FIND GLOVES AND APRONS FROM THE FIRM MANULATEX®. MANUFACTURED WITH HIGH-QUALITY MATERIALS, SUCH AS METAL MESH FOR THE GLOVES, AND NITRILE OR POLYURETHANE FOR THE APRONS, THEY OFFER THE USER AN EXTRA PROTECTION AGAINST KNIFE CUTS AND SERVE AS A COMPLEMENT FOR THE FOOD INDUSTRY.

- Manulutex wire mesh products are 100% food grade stainless steel.
- The gloves are light and ergonomic, thanks to the lightness of their rings.
- More mesh and greater comfort.
- Its patented welding system guarantees the durability of the joints and the quality of the glove, since it increases the resistance of the rings, which translates into fewer repairs.
- Traceability of all parts, with a unique serial number and QR code engraved on each glove.
- Detectability of the metallic material (consult manufacturing options with Juba).



Manulutex welds



OGCM

Stainless steel wire mesh glove.

USES


Agri-food industry / Slaughterhouses / Salting rooms / Cutting centers / Butchers / Delicatessen / Catering / These work gloves should not be used with machines or toothed tools



1 unit

Short glove.

REFERENCE	SIZE	COLOUR
OGCM.131.00.000.GA	XXS	Brown
OGCM.131.10.000.GA	XS	Green
OGCM.131.20.000.GA	S	White
OGCM.131.30.000.GA	M	Red
OGCM.131.40.000.GA	L	Blue
OGCM.131.50.000.GA	XL	Yellow



Glove with 15 cm mesh cuff.

REFERENCE	SIZE	COLOUR
OGCM.131.02.000.GA	XXS	Brown
OGCM.131.12.000.GA	XS	Green
OGCM.131.22.000.GA	S	White
OGCM.131.32.000.GA	M	Red
OGCM.131.42.000.GA	L	Blue
OGCM.131.52.000.GA	XL	Yellow



Cuffed glove with BLADE STOPPER.

REFERENCE	SIZE	COLOUR
OGCM.131.07.000.GA	XXS	Brown
OGCM.131.17.000.GA	XS	Green
OGCM.131.27.000.GA	S	White
OGCM.131.37.000.GA	M	Red
OGCM.131.47.000.GA	L	Blue
OGCM.131.57.000.GA	XL	Yellow

The Blade-Stop sleeve is equipped with stiffeners stainless steel.

Straps.

REF. STRAPS FOR CUFF	REF. STRAPS FOR SLEEVE	REF. STRAPS CUFF AND SLEEVE	COLOUR
OAGP102.0001	OAGP102.0002	OAGP102.0012	Brown
OAGP102.0101	OAGP102.0102	OAGP102.0112	Green
OAGP102.0201	OAGP102.0202	OAGP102.0212	White
OAGP102.0301	OAGP102.0302	OAGP102.0312	Red
OAGP102.0401	OAGP102.0402	OAGP102.0412	Blue
OAGP102.0501	OAGP102.0502	OAGP102.0512	Yellow






WILCO

Stainless steel wire mesh glove.

USES

Boning and cutting with hand knives or with scissors and electric knives / Food industry / Slaughterhouses / Salting rooms / Cutting centers / Butchers / Delicatessen / Caterers / These work gloves should not be used with machines or toothed tools



Short glove.

REFERENCE	SIZE	COLOUR
OGWO.131.00.000.GA	XXS	Brown
OGWO.131.110.0000GA	XS	Green
OGWO.131.20.000.GA	S	White
OGWO.131.30.000.GA	M	Red
OGWO.131.40.000.GA	L	Blue
OGWO.131.50.000.GA	XL	Yellow

Glove with 15 cm mesh cuff.

REFERENCE	SIZE	COLOUR
OGWO.131.02.000.GA	XXS	Brown
OGWO.131.12.000.GA	XS	Green
OGWO.131.22.000.GA	S	White
OGWO.131.32.000.GA	M	Red
OGWO.131.42.000.GA	L	Blue
OGWO.131.52.000.GA	XL	Yellow

Cuffed glove with BLADE STOPPER.

REFERENCE	SIZE	COLOUR
OGWO.131.07.000.GA	XXS	Brown
OGWO.131.17.000.GA	XS	Green
OGWO.131.27.000.GA	S	White
OGWO.131.37.000.GA	M	Red
OGWO.131.47.000.GA	L	Blue
OGWO.131.57.000.GA	XL	Yellow

The Blade-Stop sleeve is equipped with stiffeners stainless steel.

Glove with mesh up to the shoulder.

REFERENCE	SIZE	COLOUR
OGWO.131.36.000.GA	M	Red
OGWO.131.46.000.GA	L	Blue

Finger tensioners.

REFERENCE	SIZE
FGCM100BLUE	Only



FEATURES

- Very light and comfortable glove.
- Wrist and forearm adjustment with ultra-flat spring.
- Identification of the SIZE with color button.
- Ambidextrous for reversibility.
- Closure on the wrist with springs protected by chain mail.
- Greater durability of the spring.
- They comply with the EN 1082-1:1997 standard: Gloves and arm protectors against cuts and punctures produced by hand knives.
- Each glove has a traceability plate.
- For maintenance, clean by brushing energetically or using pressure jets with hot soapy water or with a mixture of water and a mild detergent.






WILCO FLEX

Stainless steel wire mesh glove.

USES

Boning and quartering with hand knives or with electric scissors and knives / Slaughterhouses / Meat processing / Meat processing / Excavators / Quartering



Short glove.

REFERENCE LEFT HAND	SIZE	REFERENCE RIGHT HAND	COLOUR
OGWS.131.00.000.GA	XXS	OGWS.131.00.000.DR	Brown
OGWS.131.10.000.GA	XS	OGWS.131.10.000.DR	Green
OGWS.131.20.000.GA	S	OGWS.131.20.000.DR	White
OGWS.131.30.000.GA	M	OGWS.131.30.000.DR	Red
OGWS.131.40.000.GA	L	OGWS.131.40.000.DR	Blue
OGWS.131.50.000.GA	XL	OGWS.131.50.000.DR	Yellow

Glove with 15 cm mesh sleeve.

REFERENCE LEFT HAND	SIZE	REFERENCE RIGHT HAND	COLOUR
OGWS.131.02.000.GA	XXS	OGWS.131.02.000.DR	Brown
OGWS.131.12.000.GA	XS	OGWS.131.12.000.DR	Green
OGWS.131.22.000.GA	S	OGWS.131.22.000.DR	White
OGWS.131.32.000.GA	M	OGWS.131.32.000.DR	Red
OGWS.131.42.000.GA	L	OGWS.131.42.000.DR	Blue
OGWS.131.52.000.GA	XL	OGWS.131.52.000.DR	Yellow

Cuffed glove with BLADE STOPPER.

REFERENCE LEFT HAND	SIZE	REFERENCE RIGHT HAND	COLOUR
OGWS.131.07.000.GA	XXS	OGWS.131.07.000.DR	Brown
OGWS.131.17.000.GA	XS	OGWS.131.17.000.DR	Green
OGWS.131.27.000.GA	S	OGWS.131.27.000.DR	White
OGWS.131.37.000.GA	M	OGWS.131.37.000.DR	Red
OGWS.131.47.000.GA	L	OGWS.131.47.000.DR	Blue
OGWS.131.57.000.GA	XL	OGWS.131.57.000.DR	Yellow

The Blade-Stop sleeve is equipped with stainless steel stiffeners.


Glove up to the shoulder.

REFERENCE LEFT HAND	SIZE	COLOUR
OGWS.131.36.000.GA	M	Red
OGWS.131.46.000.GA	L	Blue
OGWS.131.56.000.GA	XL	Yellow

FEATURES

- Integrated clamping: no need for plastic tensioners, allows the mesh to be kept permanently tight to the hand to facilitate pressure.
- 100% stainless steel.
- Wrist and forearm adjustment with ultra-flat spring.
- Size identification with color button.


SPRINGS ADJUST GLOVES





MAILLINOX

100% stainless steel wire mesh apron



FEATURES

- It has four fastening points (double plate).
- Supplied with a VITOFIX harness.
- 100% food grade stainless steel. They ensure protection against cuts and stabs by hand or with other manual cutting tools.
- 4 gripping points on the upper part allow the harness to be adjusted to the morphology of the operator.


REFERENCE	DIMENSIONS AND WEIGHT	WORKER HEIGHT
OXMA160.12.055X070	55 x 70 cm / 1700 gr	Height > 167 cm
OXMA160.12.055X080	55 x 80 cm / 1875 gr	Height > 190 cm

USES

Specially designed for deboning and cutting of meat and fish.



Four fastening points for adjustment




VITOFIX

Removable and adjustable polyurethane harness for metal apron.

FEATURES

- Adjustable and removable straps prevent the apron from opening when the operator bends down.
- 4 grip points on the upper part allow the harness to be adjusted to the operator's morphology.
- The apron does not slide down, always protecting the heart.




REFERENCE	CHEST CONTOUR	THICKNESS
VITOFIX1	< 100cm	1000 m
VITOFIX2	90-120 cm	1000 m
VITOFIX3	120 cm	1000 m



LIGHTINOX

Stainless steel wire mesh apron.




FEATURES

- 100% stainless steel mesh.
- Inner diameter of the rings: 5.6 mm and outer diameter: 7 mm.
- Stainless steel wire diameter: 0.7 mm.
- It is reversible to avoid the risk of accident by using it upside down.
- 4 grip points on the upper part allow the harness to be adjusted to the morphology of the operator.
- Supplied with Vitofix harness.
- It is a lighter model that provides safety and comfort.

REFERENCE	DIMENSIONS AND WEIGHT	WORKER HEIGHT
OXL1650.12.055X070	55 x 70 cm / 990 gr	Height > 166 cm
OXL1650.12.055X080	55 x 80 cm / 1120 gr	Height > 188 cm

USES

Specially designed for deboning and cutting of meat and fish.





FLEXINOX

Stainless steel plate apron.

FEATURES

- 100% stainless steel plates.
- Patented plate system that offers greater protection against knife incisions.
- The shape of the plates and their size offer great elasticity.
- Reversible.
- Resistant to common cleaning and disinfecting products.
- 4 grip points on the upper part (double plate) allow the harness to be adjusted to the morphology of the operator.
- Supplied with a VITOFIX harness.
- DELTA apron can be attached to the apron with press studs without hanging on the neck: **OHD.030.6*.075X115**


REFERENCE	DIMENSIONS AND WEIGHT	WORKER HEIGHT
OXFL170.12.055X070	55 x 70 cm / 1450 gr	Height > 166 cm
OXFL170.12.055X080	55 x 80 cm / 1650 gr	Height > 188 cm

USES

Specially designed for deboning and cutting of meat and fish.




100% stainless steel plates



FLEXINOX

OTHER



Manulatex work aprons are suitable for the food industry.

Made of high quality nitrile or polyurethane, all models offer high resistance to animal fats, blood and common cleaning products.

MODEL	MATERIAL	MEAT	FISH	CHEESE	PRESERVES	CLEANING	INDUSTRY		AGRICULTURE
							MECHANICS	CHEMISTRY	
BRAVO	Nitrile	★★★★	★★★★	★★★	★★★★	★★★★	★★★★	★★★★	★★★
DELTA	Polyurethane	★★★	★★★★	★★★★	★★★	★★★★	★★★	★★★★	★★★
JULIET	Polyurethane	★★★	★★★	★★★	★★★	★★★	★	★	-
LIMA	Nitrile	★★★★	★★★★	★★★	★★★★	★★★★	★★★	★★★	★★★

Three mounting options: standard, assemble and automatic.

STANDARD ASSEMBLY
and harness: food grade polypropylene adjustment buckle and elastic plastic and polyester hook.

AUTOMATIC ASSEMBLY: nickel rivets and rings. Sewn polyester straps coated on both sides with nitrile.



STANDARD ASSEMBLY



HARNESS ASSEMBLY



AUTOMATIC ASSEMBLY





DELTA THERMO WELDED

100% polyurethane apron equipped with heat-sealed eyelets.

FEATURES

- Adjustable buckles in food grade polypropylene.
- Plastic hook and braided polyester elastic.
- No metal parts.
- Resistant to animal fats, blood and common cleaning products.

COLOUR	HARNES ASSEMBLY	STANDARD ASSEMBLY
White	OTDS3021090X115	OTDS3011090X115
Red	OTDS3022090X115	OTDS3012090X115
Yellow	OTDS3023090X115	OTDS3013090X115
Brown	OTDS3024090X115	OTDS3014090X115
Blue	OTDS3025090X115	OTDS3015090X115
Green	OTDS3026090X115	OTDS3016090X115
NEGRO	OTDS3027090X115	OTDS3017090X115

Thickness: 300 m (±10)

Grammage: 350 g/m²

Dimensions: 90 x 115 cm (width x length)



1 unit



20 units



DELTA PU

Aprons with stainless steel eyelets and grommets.

FEATURES

- Adjustable buckles in food grade polypropylene.
- Plastic hook and braided polyester elastic.
- Resistant to animal fats, blood and common cleaning products.

COLOUR	STANDARD ASSEMBLY
White	OTD03011090X115
Blue	OTD03015090X115

COLOUR	AUTOMATIC ASSEMBLY
White	OTD03031090X115
Blue	OTD03035090X115

Thickness: 300 m (±10)

Grammage: 350 g/m²

Dimensions: 90 x 115 cm (width x length)



1 unit



20 units





DELTA ACOPLABLE

100% polyurethane apron with stainless steel eyelets and grommets.

FEATURES

- Direct snap-on fasteners that attach to mesh aprons and plates.
- No back harness or neck mounting required for operator comfort and mobility.
- Quick and effective cleaning of the apron; greatly avoids dirt on the inner protective mesh apron.
- High resistance to animal fats and blood.

COLOUR	REFERENCE
White	OHD.030.61.075X115
Blue	OHD.030.65.075X115

Thickness: 300 m (±10)

Grammage: 350 g/m²

Dimensions: 75 x 115 cm (width x length)



Coupling detail



DELTA CON MANGAS

Long apron with sleeves 100% polyurethane.

FEATURES

- Long apron that covers the boots and wraps around the body on the sides. Ties with a knot at the back or front.
- Waterproof thermo-sealed seams.
- Integrated elastic wrist closure.
- Highly resistant to tearing thanks to its resistance to stretching of up to 500%.
- Easy and effective cleaning of the apron, as it is very smooth and does not harden.
- High resistance to animal fats and blood.

COLOUR	REFERENCE	REFERENCE
White	OTDMS20.M1.090X130	OTDMS20.M5.100X140
Blue	OTDMS20.M5.090X130	OTDMS20.M1.100X140

Thickness: 200 m (±10) / **Grammage:** 250 g/m²

Dimensions: 90 x 130 cm (width x length)
100 x 140 cm (width x length)



Sleeve adjustment





DELTA MONOBLOCK

One-piece 100% polyurethane apron.

FEATURES

- Closes with a knot at the back.
- More hygienic, no hook and no cotton cord.
- Easy to clean and put on.
- Resistant to animal fats, blood and common cleaning products.

REFERENCE	COLOUR
OTD030M1090X135	White
OTD030M2090X135	Red
OTD030M3090X135	Yellow
OTD030M5090X135	Blue
OTD030M6090X135	Green

Thickness: 300 μ m (\pm 10)

Grammage: 350 g/m²

Dimensions: 90 x 135 cm (width x length)



BRAVO

Polyester apron coated with nitrile on both sides.

FEATURES

- Offers high resistance to animal fats, blood and temperature.
- **Harness and Standard Mountings** Food grade polypropylene adjustment buckle.
- Plastic and elastic braided polyester hook.

COLOUR	STANDARD ASSEMBLY
White	OTB05011090X115
Yellow	OTB05013090X115
Brown	OTB05014090X115
Blue	OTB05015090X115
Green	OTB05016090X115

COLOUR	AUTOMATIC ASSEMBLY
White	OTB05031090X115
Yellow	OTB05033090X115
Brown	OTB05034090X115
Blue	OTB05035090X115
Green	OTB05036090X115

COLOUR	HARNES ASSEMBLY
White	OTB05021090X115
Yellow	OTB05023090X115
Brown	OTB05024090X115
Blue	OTB05025090X115
Green	OTB05026090X115



Thickness: 500 μ m (\pm 10)

Grammage: 600 g/m²

Dimensions: 90 x 115 cm (width x length)





LIMA

Polyester apron coated with nitrile on both sides.

FEATURES

- Resistente a grasas animales, sangre y productos de limpieza.
- Nickel rivet and rings.
- Nitrile sewn straps on polyester base coated on both polyester coated on both sides.

AUTOMATIC ASSEMBLY	COLOUR
OTL05031070X120	White

Thickness: 500 µm (±10)

Grammage: 600 g/m²

Dimensions: 70 x 120 cm (width x length)



1
unit



20
units



JULIET

Polyurethane apron on polyamide base.

FEATURES

- Resistant to common cleaning products.
- Food-safe polypropylene adjustment buckle and plastic and elastic braided polyester made of plastic and elastic braided polyester.
- Resistant to animal fats, blood and common cleaning products cleaning products.

STANDARD ASSEMBLY	COLOUR
OTJ040011090X115	White
OTJ040013090X115	Yellow
OTJ040015090X115	Blue
OTJ040016090X115	CAQUI
OTJM040X1003X115 CON MANGAS	White

Thickness: 400 µm (±10)

Grammage: 170 g/m²

Dimensions: 90 x 115 cm (width x length)



1
unit



20
units

Sleeved
option

